




valiani
your perfect cut

50
YEARS



Valiani cutting machines, excellence since 1974

Valiani is the perfect expression of the **Italian Engineering**. From the invention of the first mat cutting machine for the framing industry to advanced machinery for printing, packaging and sign industry, our goal is providing you with an everyday partner, capable to process and cut the widest range of materials.

The numbers of our success



We export to more than

+90
countries



Carried out over

+5.000
installations

We have been exporting our cutting machines to more than 90 countries, where we have carried out over 5,000 installations, ensuring first-class service.

Our mat-board cutting machines for framing are chosen by museums such as the **Vatican Museums**, the **Louvre**, **Musée d'Orsay**, the **Hermitage**, the **SF MOMA**, **Tokyo National Museum**, **Getty Museum**, **State Library of Western Australia**, and other prestigious institutions such as, **European Parliament**, **NY Public Library**, **The White House** and many more.

Cutting machines beyond expectations

Know-how, Integrity, passion and sense of accountability are the values guiding our long-standing company. These features have led us to be a benchmark in the print finishing industry. We are committed to meeting and exceeding our customers' expectations, anticipating their needs and ensuring high-quality after sales service.

Summa Group

After five decades of building equipment for the Picture Framing, Packaging and Sign industry, Valiani has become part of a new international group. Since July 2022 Summa NV, world leader in the production of roll-to-roll, flatbed and laser cutters, has acquired Valiani to strengthen its position as a leading manufacturer in finishing equipment. The merged business will continue as before and will complement each other to offer customers an even broader range of cutting solutions.

Rev. 1 of 11/04/2024

The information contained in the catalogues or any advertising printed materials, such as the technical features of the products or the components, dimensions, assembly diagrams, colours, etc., are merely indicative, due to the technical specifications and the technological evolution of the company products. Important data may be provided from time to time and upon explicit request. In order to improve the quality of the product, Valiani S.r.l. reserves the right to modify the same without any notice and even after acceptance of the order. The company reserves the right to make partial or total changes to the products without any notice, declining all responsibility for any inaccurate data.





Passion for Made in Italy since 1974

Lean manufacturing: zero defects for absolute reliability

Lean methodology is a way of optimising the people, resources, efforts and energies of our organization toward creating value for the customers. It is based on two guiding tenets, continuous improvement and respect for people. Thanks to the consistent application of this methodology, we can produce machinery with almost no waste, allowing us to deliver equipment that last over time.

The quality of our cutting machines is a warranty!

Every day we work to give the best to our customers. Our cutting machines are the result of Italian genius and craftsmanship. We use Italian mechanics and thanks to lean management methodology we have increased the reliability of our flatbed plotters, so that we are able to offer a **5-year warranty on most of our machines.**

Watch the Company Video



ONLY WITH US

5
YEAR*

WARRANTY

We are the only ones to offer these conditions!

Get peace of mind with a 5-year Valiani Limited
Manufacturers' Warranty

* Ask your local dealer for warranty details.



COMPANY POLICY

Integrated management system

Valiani S.r.l. has been developing an Integrated Management System compliant with the requirements of **UNI EN ISO 45001: 2018** - Health and Safety, **UNI EN ISO 14001: 2015** - Environment and **UNI EN ISO 9001: 2015** - Quality, promoting ever greater integration within the context of business management systems. With a view to expanding its presence in its reference markets, Valiani aims at characterizing itself as an advanced organization in terms of flexibility, innovation and professionalism. Needless to say, that the production and the export of its machinery as well as the provision of its services requires a full respect of the legal requirements, the safeguard of the environment and the protection of health and safety at work, thereby improving the quality of the products and their efficiency. All these criteria are fully met by Valiani company, which is preparing to become a symbol of expertise, competence and good practice at the working level.

Our values



QUALITY

Conceiving and developing cutting systems designed to last over time.



RELIABILITY

Living up to expectations and keeping promises, offering our customers equipment with great potential and establishing transparent relationships with end-user, partners, dealers and distributors.



INNOVATION AND TECHNOLOGY

Creating brand-new solutions, thinking in an unconventional way to allow our customers to develop and increase their business with highly technological machines.



SUSTAINABILITY

Managing natural resources and energy connected to production processes in a rational and sustainable way, so as to enhance their usage by reducing waste and polluting effects, in line with the condition of sustainable development whose main objective is ensuring the satisfaction of needs of the present generation without compromising the possibility of future generations to realize theirs.



SAFETY

Allowing people to operate in a safe and comfortable working environment.



HEALTH AND SAFETY

Priority to people:
we strive every day
to guarantee the well-being
and safety of all employees
in order to inspire confidence


VIEW THE QR-CODE



ENVIRONMENT

Environmental Protection:
we strive with passion to reduce
the environmental impact
by pursuing initiatives
of recycling or CO2 reduction

VIEW THE QR-CODE



QUALITY

Attention for our customers:
we care about maintaining
stringent standards
for all our activities
and provide customers
with an excellent service

VIEW THE QR-CODE



Valiani for a sustainable world

Together with quality and working safety, environmental sustainability is one of the three cornerstones of our company policy. Having a positive impact on the planet is a commitment that we pursue with concrete actions, which we implement both within the company and externally. At Valiani we rationally manage natural resources and energy connected to production processes, with the aim of reducing waste and polluting effects.

Valiani and Treedom A global commitment in defense of the planet

Valiani is an active partner of Treedom in the development of projects with a strong environmental and social impact. With this partnership we are committed to reducing carbon emissions into the atmosphere and ensuring sustainable development of the local communities involved in our projects.

Why we chose Treedom

We have chosen to collaborate with Treedom because it is a reliable company, which is part of the Certified B Corporations. Treedom helps rural communities around the world to realize sustainable ecosystems and allows thousands of farmers to support the initial costs of planting new trees, ensuring food sovereignty and income opportunities over time.



Food safety



**CO2
Compensation**



**Economic
Development**



**Environmental
Protection**

Find out more



We are in business to help our customers succeed

Vision

AFFORDABLE AND RELIABLE EQUIPMENT

With over 50 years of experience, we work every single day to deliver high-yield machinery, bring innovation in the digital cutting solutions and offer our customers the best market compromise between price, performance and productivity.

Mission

INNOVATION AND TECHNOLOGY FOR EVERYONE

We strongly believe that the future of manufacturing lies in the digitalization process and our goal is to enable our customers to develop their business with our engineered cutting systems.

Values

OUR DAY-TO-DAY COMMITMENT


Know-how, Integrity, Passion and Accountability are what sets us apart, allowing us to exceed our customers' expectations.

SUPERIOR MANUFACTURING, QUALITY AND RELIABILITY

All Valiani machines are designed and developed with the aim to make them last forever. Repeatability and reliability are two factors that summarize the concept of quality asseverated in Valiani.

<https://www.instagram.com/patricebegnier/>

**The Making of
Palazzo Valiani**



Materials and Applications

Digital machines to process your jobs

One of the key features of our digital machines is their versatility. They can be used for cutting a wide range of materials, with different thicknesses, always guaranteeing maximum precision and impeccable quality both on prototypes and small-medium cutting runs.

COUNTLESS MATERIALS, ENDLESS APPLICATIONS

-  Folding Carton / Corrugated Cardboard
 -  Honeycomb panels / Re-board
 -  Rigid Grey chip board
 -  PVC / FOREX / Foam board
 -  Polycarbonate panels / Laminated sheets
 -  Polymers & rubber blankets / Offset varnishing coating plates
 -  Reflective films / Stickers and Decals / Vinyl
 -  Magnets sheets
 -  Carbon Fiber
 -  Moquette / Floor mats
 -  Leather and Fabrics
 -  Paper patterns
 -  Medium-density fiberboard
 -  Plexiglass and Acrylic
 -  Aluminum composite / Dibond
-and many more





Industries


Suitable for different industries and businesses

Our cutting machines feature amazing flexibility and works equally well for many different industries.

They can be used for package prototyping for short and medium run, digital and offset printing, architectural models and picture framing.

The right solution for every cutting need.

CHOOSE THE IDEAL CUTTING MACHINE FOR YOUR INDUSTRY

- Graphic Design Studios 
 - Packaging / Box Makers 
 - Graphic Industries 
 - Die Cutting Makers 
 - Digital Printing / Copy Shops 
 - Offset Printing Press 
 - Architectural Studios 
 - Fashion and Apparel 
 - Museums and Galleries 
 - Framers and Photo Studios 
-and a lot more

Index

Invicta Series 80/120/150	p. 16
Optima Series 80/160/250/300	p. 20
Integra Series 160/250/200/300	p. 26
Omnia Series 80/100	p. 30
Tools and Holders	p. 36
Holders	p. 38
Tools	p. 40
Interchangeable Heads	p. 44
Software and Programs	p. 49
V-Studio	p. 50
M3 and M3 Art	p. 52
Opticrop	p. 58
Customer Experience Center	p. 60

INVICTA SERIES 80/120/150


COMPACT CUTTING MACHINE WITH INVINCIBLE VERSATILITY

Invicta is a very compact yet powerful machine fitting every working environment. With its unique features to cut from soft to rigid media and its extreme versatility, the operator can virtually make unlimited projects up to 20mm thick. Invicta guarantees a very high degree of precision matched with cutting and creasing quality almost equal to that of the traditional die-cutting process. Invicta is also highly demanded in the fashion industry, allowing to cut and draw on paper patterns. Extremely recommended for a lot of applications, from **motorbike decals** to **road signs**, from **ejection rubber** to **offset coating blankets**.



ALL YOU NEED TO START A BUSINESS

With multiple optional cutting tools, as well as creasing and drawing tools, Invicta is ideally suited for cutting a wide range of materials. Our proven mechanical design and easy-to-use software ensure a quick solution to time-consuming tasks.



COMPACT, VERSATILE AND AFFORDABLE

Invicta comes in different sizes, all with vacuum table and pneumatic clamping system; a **camera for crop mark detection** is also considered in the machine bundle. The sturdy design of the machine allows to cut precisely and efficiently almost any material. A bunch of tools are available to personalize the configuration. OptiCrop software is listed as an optional item.



CHANGE THE TOOLS IN 8 SECONDS

The possibility to easily swap one tool with another one enables the user to create the perfect configuration for various cutting requirements.



For more information scan the QR code or visit our website at www.valiani.com

SINGLE
INTERCHANGEABLE
HEAD



Materials

- Folding Carton
- Corrugated Cardboard
- Vinyl and magnets sheets
- Reflective films sheets
- PVC/FOREX/Foam board
- Laminated sheets
- Polymers and rubber
- Leather and Fabrics
- Paper Patterns
- Honeycomb Cardboard
- ...and a lot more

Main Applications

- Die-Cutting of Digital and Offset Prints
- Packaging prototypes and sample making
- Photo Albums
- Street and Business Signage
- Offset Varnishing Plates and Blankets
- Architectural and plastic models
- Reflective films / Stickers and Decals / Vinyl
- Motorbike Decals
- Membrane keyboards
- Patterns for Shoes and Fashion Industry

...and many more



Invicta

is equipped with a vacuum table, divided into multiple zones to optimize the suction when media is smaller than the working area. Invicta comes in different sizes, all with high-res camera for print cropmark detection software*.

*Crop mark detection software is optional

Invicta Series

SAVE SPACE WITH INVICTA 80

it is so compact that it fits into any workspace and adapts to most popular digital printing formats



PRECISION, EASE OF USE AND ENDLESS CREATIVE POSSIBILITIES

Invicta can be customized into different configurations depending on the tools chosen and can cut materials with thicknesses up to **5 mm (3/16")** with tangential cutting tool or up to **20 mm (3/4")** with oscillating knife. The Oscillating cutting knife will bring you to the next level. It will cut through many different materials from paper to rigid material or from fabric to leather.

Tools available

Invicta can be equipped with all tools compatible with the following tool holders:

• Multifunctional Tool Holder

• Versa-Tool Holder
• Fixed Tool Holder



MTH



FTH



VTH



Technical Data

Invicta Models	80	120	150
Cutting Size	610x810 mm (24"x31")	1220x813 mm (48"x32")	1524x1016 mm (40"x60")
Width	1180 mm (46,4")	1780 mm (70")	2080 mm (82")
Depth	1394 mm (54,8")	1394 mm (54,8")	1594 mm (62,3")
Height	1100 mm (43,3")	1100 mm (43,3")	1100 mm (43,3")
Weight	140 kg (308 lbs)	290 kg (640 lbs)	320 Kg (683 lbs)
Max Cutting Speed	400 mm (16") / Sec		
Acceleration	0,5 m/s ² (19,7 in/s ²)		
Power Requirements	Single Phase - 230V 50Hz 10A - 2,1 KVA Single Phase - 208/230V 60Hz 12A - 2,4 KVA		
Air Requirements	6 BAR (3,5 CFM) 8 BAR (5,3 CFM) with Oscillating tool		
File Format	SVG, .PLT, .DXF, .CF2, .HPGL, .XML, .PDF		
Tool Change	Manual		
Tools Available	90°, 45°, 40°, Embossing, Creasing, Drawing tool, Oscillating tool and Kiss cut tool		
Tool Holders	1 + 1F		
Connectivity	USB 2.0/Bluetooth		
Data Buffer	External PC		
Media Holding System	Vacuum bed and Pneumatic Clamping System		
Fixed Tool	Pen (Optional)		
Cutting Capacity	0.1 > 5 mm (0.20") with Tangential cutting tool 0.1 < 20 mm (0.79") with Oscillating tool		
Repeatability	≤0.1 mm		
Supported OS	Windows 7, 10, 11		
CropMarks Rec.	Camera (Included) + Software (Optional)		

FEATURES

- **Single-head** system capable of a tool changeover in less than **10 seconds** without any mechanical adjustment.
- Invicta may be equipped with Opticrop Software for crop marks detection and print distortion adjustment.
- High versatility die-cutting solution at an affordable price.

Multi - Position Stand

OPTIONAL



Suction is working performing better when the machine is in flat position.

Multi-position Stand

Dimensions	Mod.	FLAT		ANGLED	
		120	150	120	150
W.		1780 mm (70")	2080 mm (81,8")	1780 mm (70")	2080 mm (81,8")
H.		1360 mm (53,5")	1460 mm (57,4")	1394 mm (54,8")	1594 mm (62,7")
D.		1540 mm (60,6")	1790 mm (70,4")	1100 mm (43,3")	1100mm (43,3")

Magnets sheet



Folding carton

OPTIMA SERIES 80/160/250

DUAL-HEAD DIE-CUTTING MACHINE

Optima series is suitable for **almost every applications** in the offset/digital printing, display/packaging, sign and apparel/leather markets.

It is the ideal solution for **short** and **medium runs** of die cutting, prototyping, honeycomb furniture creation, textile/cardstock pattern cutting and much more.

Thanks to its heavy-duty structure, its high-quality components and its versatility in processing different materials and thicknesses, Optima is considered one of the most demanded products by Valiani customers.



SIZES MATTER

Optima Series is available in multiple bed sizes. Ideal to be combined with UV flatbed printers.



TWO MODULAR TOOL HOLDERS

The possibility to easily swap one tool with another one enables the user to create the perfect configuration for various cutting requirements.




YOUR BEST INVESTMENT

1. High-quality and cutting precision for many materials
2. Perfect price-quality ratio
3. Low-cost maintenance



For more information scan the QR code or visit our website at www.valiani.com



Main Applications

- Contour cut of Digital/Offset Prints
- Box and Packaging Production
- POP/POS Displays
- Street and Business Signage
- Offset Varnishing Plates/Blankets
- Architectural Models
- Motorbike decals
- Honeycomb Cardboard Furniture
- Patterns for Shoes and Fashion Industry
- Photo Albums
- and many more

Materials

- *Folding Carton and Corrugated Cardboard*
- *Grey chip board*
- *Vinyl / Plastic / Adhesive sheets*
- *Diamond Grade / Reflective sheets*
- *PVC and Foam Board*
- *Coating and Rubber Blankets*
- *Leather and Fabrics*
- *....and a lot more*

Optima 80 | 160 | 250 | 300

Optima Series, as Invicta and Integra Series, comes as standard with pneumatic **fold-away clamps** and **vacuum table**. The clamping system, in addition of being a valid tool for the material holding, also determines the origin of the cut in an absolute way. A great feature when it comes to non-printed materials such as coating plates for offset printing and other carton board.



Optima Series

Tools available

Optima can be equipped with all tools compatible with the following tool holders:

• Multifunctional Tool Holder

• Versa-Tool Holder
• Fixed Tool Holder



MTH



FTH



VTH



Technical Data

Honey Comb board



Folding carton

Optima Models	80	160	250
Cutting Size	1230x890 mm (48.5"x35.4")	1230x1660 mm (48.5"x65.3")	1230x2500 mm (48.5"x98.5")
Width	1830 mm/72"	1830 mm/72"	1830 mm/72"
Depth	1430 mm/56"	2230 mm/88"	3010 mm/118.5"
Height	1200 mm/47"	1200 mm/47"	1200 mm/47"
Weight	440 Kg (970 lbs)	550 kg (1212 lbs)	690 Kg (1521 lbs)
Max Cutting Speed	600 mm (24") / sec		
Acceleration	1 m/s ² (39.4 in/s ²)		
Power Requirements	Single phase 200/208/230V 50/60Hz 10A 2 KVA	Single phase 200/208/230V 50/60Hz 10A 2 KVA	Single phase 200/208/230V 50/60Hz 15A 3,1 KVA
Air Requirements	6 BAR/90 PSI (3,5 CFM) 8 BAR/115 PSI (5,3 CFM) with Oscillating tool		
File Format	SVG, .PLT, .DXF, .CF2, .HPGL, .XML, .PDF		
Tool Change	Manual		
Tools Available	90°, 45°, 40°, Embossing, Creasing, Drawing, Oscillating tool and Kiss cut tool		
Tool Holders	2 + 1F		
Connectivity	Ethernet		
Data Buffer	External PC		
Media Holding System	Vacuum bed and Pneumatic Clamping System		
Fixed Tool	Pen (Optional)		
Cutting Capacity	0.1 > 5 mm (0.20") with Tangential Blade 0.1 < 20 mm (0.79") with Oscillating Blade		
Repeatability	≤0.1 mm		
Supported OS	Windows 7, 10, 11		
CropMarks Rec.	Camera (Included) + Software (Optional)		

FEATURES

- Equipped with **two independent Tool Holders** that allow multiple tool combination.
- Combines vacuum-assisted table and pneumatic fold-away clamping system.
- Incomparable working flexibility over a wide range of materials.
- Unparalleled cutting accuracy also on intricate designs.
- Customizable into various configurations depending on the tools chosen equippable with a software for crop mark detection and additionally with an optional packaging software.
- Available in 3 different bed sizes and one XL bed size.

ONLY WITH US

5
YEAR*

WARRANTY

We are the only ones to offer these conditions!

Get peace of mind with a 5-year Valiani Limited Manufacturers' Warranty

* Ask your local dealer for warranty details.


OPTIMA 300

EXTRA LARGE BED SIZE

Optima XL series combines the greatest features of Optima series with the opportunities of a **extra large format** machine, thus giving rise to a product designed to increase production capacity and perform multiple processes.


The large cutting surface in combination with the vacuum table guarantees a perfect media holding on a wide range of materials.

Thought to cut extra-large materials, it represents the ideal cutting machine both for those who need a **larger worktable** and looking for **productivity** and **guaranteed performance**.



FROM SMALL TO LARGE

Optima and Optima XL Series are available in **four different cutting sizes**, covering from small to large cutting needs and offering the **best price-quality ratio**.



SUPERIOR MANUFACTURING, QUALITY AND RELIABILITY

All Valiani machines are designed and developed with the aim to make them **last forever**. Repeatability and reliability are two factors that



MULTIPLE CROP MARKS DETECTION

Like in every Valiani machinery, it is always possible to detect printing crop marks both for single sheet and for **multiple sheets**.


When the design is printed on a smaller format, the system reads crop marks for each copy and accordingly performs a contour cut. Reverse side processing is another great feature when cutting and creasing delicate materials.



For more information scan the QR code or visit our website at www.valiani.com

Main Applications

- *Contour cut of Digital and Offset Prints*
- *Box and Packaging Production*
- *POP/POS Displays*
- *Street and Business Signage*
- *Offset Varnishing Plates / Rubber Blankets*
- *Vinyl/Plastic/Adhesive sheets*



Technical Data

Optima XL Models	300
Cutting Size	1600x3050 mm (63"x120")
Width	2200 mm / 86,6"
Depth	3640 mm / 143,3"
Height	1200 mm / 47"
Weight	770 kg / 1522 lbs
Power Requirements	3 Phase - 230V 60Hz 20A - 5,4 KVA 3 Phase - 400V 50/60Hz 12/13,5 A - 4,8/5,4 KVA
For the other specs see page 23	

Tools available

Optima XL can be equipped with all tools compatible with the following tool holders:

- Multifunctional Tool Holder

- Versa-Tool Holder
- Fixed Tool Holder



MTH



FTH



VTH



INTEGRA SERIES 160/250/200/300

MILLING, CUTTING AND CREASING IN ONE SINGLE SOLUTION

Integra is a cutting system designed to process materials of **greater consistency** typical of the world of sign and packaging industry. Configurable with a **1 kW router*** and a wide range of cutting tools, Integra guarantees high versatility and quality standards in managing the processing of the most common rigid supports used in the graphics industry. **Milling, engraving, cutting and creasing** in a precise way is now possible with Valiani Integra, a qualitatively impeccable Italian product that is characterized by its robust shape, high precision and reliability.



ROUTING TOOL

The **1 kW** router can handle the processing of the most common rigid supports used in the graphic and sign industry including rigid PVC/Forex, acrylic/plexiglass, Dibond/aluminum composite panels and soft & hard woods up to 13 mm (0,5") thick. The routing bit shank reaches a maximum of 8 mm (0,315") in diameter.



ONE DEVICE, PLENTY OF OPPORTUNITIES

Integra is the answer to cut, kiss-cut, creasing and routing demand as it is able to guarantee optimal performance on multiple materials with a single machine. The machine is equipped with a high-resolution camera that, in combination with a software (optional), automatically detects the position of the registration marks for quick and precise contour cuts. The optimal holding of the material is ensured by a vacuum table divided into multiple zones, other than the support of a **pneumatic fold-away clamping system**.




MORE AUTOMATION FOR GREATER PRODUCTIVITY AND HIGHER SPEED

Integra's flatbed system makes use of a considerable degree of automation, with automatic adjustment of the cutting depth and full motorization of the two cutting heads. Integra turns out to be fast in processing materials with quick tool setup in relation to the height of the panel to be processed.

* optional




For more information scan the QR code or visit our website at www.valiani.com



Materials

- Plexiglass / Acrylic
- Dibond / Aluminum composite
- Plastic Materials
- Foamboard
- Soft & Hard Woods/MDF
- Folding and corrugated cardboard
- ...and a lot more



Main Applications

- Business and lettering Signage
- Custom Engraving Plates
- Reflective films / Stickers and Decals / Vinyl
- Displays for Points of Sale and Purchase (POP/POS)
- Advertising Banners
- Die-Cutting of Digital and Offset Prints
- Packaging
- ...and many more



Automatic Tool Height Sensor

Fixed on the machine table, it makes it possible to automatically determine the tool height.

Integra Series

PRECISION, EASE OF USE AND ENDLESS CREATIVE POSSIBILITIES

Integra can be equipped with a **1 kW** router to mill more rigid substrates like PVC/Forex, acrylic/plexiglass, Dibond/aluminum composite panels and soft & hard woods up to 13 mm (0,5") thick. While not being used, it can be put in the parking position on the right side of the machine.



Tools available

Integra can be equipped with all tools compatible with the following tool holders:

- Multifunctional Tool Holder
- Versa-Tool Holder
- Fixed Tool Holder



MTH



FTH



VTH



Technical Data

Integra Models	160	250	200	300
Cutting Size	1230x1630 mm (48,5"x64")	1230x2500 mm (48,5"x98,5")	1600x2050 mm (63"x81")	1600x3050 mm (63"x120")
Width	1830 mm/72"	1830 mm/72"	2200 mm/86"	2200 mm/86"
Depth	2230 mm/89"	3010 mm/119.5"	2730 mm/107"	3640 mm/143"
Height	1200 mm/47"	1200 mm/47"	1200 mm/47"	1200 mm/47"
Weight	540 kg/1190 lbs	590 kg/1300 lbs	650 kg/1433 lbs	690 kg/1521 lbs
Max Cutting Speed	1080 mm (42.5")/ sec			
Acceleration	2.5 m/s ² (98.4 in/s ²)			
Power Requirements	3 Phase - 400V 50/60 Hz	3 Phase - 400V 50/60 Hz	3 Phase - 400V 50/60 Hz	3 Phase - 400V 50/60 Hz
Power Requirements 400 V	5,2/5,8 KVA 13/14,5 A	8,2/9,4 KVA 21/24 A	8,2/9,4 KVA 21/24 A	8,2/9,4 KVA 21/24 A
Power Requirements 208 / 240 V*	6KVA - 25A	10KVA - 48A	10KVA - 48A	10KVA - 48A
Air pressure Requirements	6 BAR/90 PSI (3.5 CFM) 8 BAR/115 PSI (5.3 CFM) With Oscillating Tool			
File Format	SVG, .PLT, .DXF, .CF2, .HPGL, .XML, .PDF			
Tool Change	Manual			
Tools Available	90°, 45°, 40°, Embossing, Creasing, Drawing, Oscillating tool, Routing Tool 1 KW and Kiss cut tool			
Tool Holders	2 + 1F			
Connectivity	Ethernet + USB			
Data Buffer	External PC			
Media Holding System	Vacuum bed and Pneumatic Clamping System			
Fixed Tool	Pen (Optional)			
Cutting Capacity	0.1 > 5 mm (0,20") with Tangential Cutting head 0.1 > 20 mm (0,78") with Oscillating Tool head 0.1 > 13 mm (0,51") with Routing Tool			
Repeatability	≤0.1 mm			
Supported OS	Windows 7, 10, 11			
CropMarks Rec.	Camera (Included) + Software (Optional)			

Aluminum composite



Plexiglass/Acrylic

VACUUM EXTRACTOR* FOR RESIDUES

A powerful vacuum cleaner is highly recommended to remove the residues left by the router and to give shape to a precise product on all sides.



*optional

Suggested for Integra	Vacuum Extractor Technical Data
Power Requirements	Single Phase EU 220-240V 50/60Hz - 3,6 KVA - 16A US 110-120V 50/60 Hz - 2 KVA - 18A

ONLY WITH US

5 YEAR* WARRANTY

We are the only ones to offer these conditions!

Get peace of mind with a 5-year Valiani Limited Manufacturers' Warranty

* Ask your local dealer for warranty details.

*Countries lacking of 400V, it is necessary to use a power converter. (that we can provide if any).

OMNIA SERIES 80/100

AUTO FEED DIE CUTTING MACHINE

Omnia has been designed to **automatically feed** and contour cut media to create exclusive packaging and unique labels. The operator can load different kinds of materials and thickness, with different sizes up to **75x80 cm / 29,5"x 31,5"** (Omnia 80) and up to **75x105 cm / 29,5"x 41,3"** (Omnia 100). Omnia will feed media to the cutting table using a suction system that lifts media from the feeder and drags it onto the conveyor. The feeder holds up to **600 sheets** (350gsm), depending on thickness. Once in position, the camera will detect crop mark and execute the cut of the uploaded file. The processed sheets drop into the catch tray. The software can control multiple workflow options including cut files from various graphic design software, **QR Code mode**, and non-printed material. Omnia is perfect for die-cutting cardstock projects including packaging, folders, business card and kiss-cut on labels. With its robust design, it can also process heavy material such as corrugated cardboard, grey chip board, plastic sheets, forex and honeycomb board.




INCREASE PRODUCTION CAPACITY

The oversized feeder and the withdrawal system automatically pick up and load the materials into the cutting machine. The automatic crop mark detection allows a hands-free cutting process and a **signal tower light** will notify the operator that the feeder has dropped to the minimum quantity so it can be reloaded and to visually interact with the operator at distance.



REALLY INDEPENDENT WORKFLOW

Omnia Series is designed with the aim to make it work **automatically all day long without the presence of an operator**. Repeatability, reliability and longevity are three factors that summarize the concept of quality asseverated in Valiani Omnia.



SUPERIOR MANUFACTURING, QUALITY AND RELIABILITY

All Valiani machines are designed and developed with the aim to make them **last forever**.



For more information scan the QR code or visit our website at www.valiani.com

OMNIA 80
MEDIA SIZE UP TO
75x80cm
(29,5" x 31,5")



**MAXIMUM
CUTTING HEIGHT
12.7 mm (1/2")**

Feeding and cutting also rigid media up to 12,7 mm (1/2") thick with **Oscillating tool***.

*OPTIONAL

Main Applications

- *Packaging / Luxury rigid boxes*
- *Stickers and Labels*
- *Business cards*
- *Greeting cards and folders*
- *Leaflets*
- *Small POS Displays*
- *Post press digital and offset finishing*
- *Photo Albums*
- *....and many more*

Materials

- *Folding carton and corrugated cardboard*
- *Rigid Cardstock*
- *Grey Chip board*
- *Coated paper*
- *Adhesives/Stickers/Vinyl*
- *PVC/FOREX and Foam board*
- *....and a lot more*

Distinguishing features for every Omnia model

- Signal tower light to visually interact with the operator
- **Parallel** sheet feeding up to 37 x 105cm (14,5"x41,3")
- Conveyor with guide to prevent media from deviating from path
- Support for laptop / PC
- Oversized catch tray
- Oversized feeder 200 mm (7.87") capacity
- Nonstop sheet media loading
- Safety mats

OMNIA 100
MEDIA SIZE UP TO
75x105cm
(29,5" x 41,3")



PARALLEL SHEET FEEDING SRA3
OR UP TO
37 x 105 cm
(14,5" x 41,3")
each

FOR ANY DIGITAL AND OFFSET PRINTING HOUSES

FEEDER CAN STACK UP TO 600 SHEETS OF 300 GSM CARDSTOCK
75 x 105 cm
(29,5" x 41,3")

SAVE MONEY AND TIME
CHANGE CONVEYOR BELT BY YOURSELF



For more information scan the QR code or visit our website at www.valiani.com

10 Reasons Why

1. Continuous sheet media loading and processing
2. High-capacity Feeder (200mm - 7,87")
3. Perfect cutting and creasing on most materials
4. No operator needed / Unstoppable workflow
5. Cutting up to 12.7 mm (1/2") rigid media
6. Kiss Cut Tool available for vinyl and thin paper
7. Processing rigid media for luxury packaging
8. Camera and software to ensure precise graphics alignment
9. SRA3 or bigger Dual sheet feeding
10. 100% made in Italy

Omnia Series



Tools available

Omnia can be equipped with all tools compatible with the following tool holders:

• Multifunctional Tool Holder

• Versa-Tool Holder
• Fixed Tool Holder



MTH



FTH



VTH



Technical Data

Omnia Models	80	100
Maximum Cutting Size	750x800mm (29.5"x31.5")	750x1050mm (29.5"x41.3")
Width	1780 mm (70") 2190 mm (86,2") w/ PC stand	1780 mm (70") 2190 mm (86,2") w/ PC stand
Depth	3860 mm (151.9")	4370 mm (172")
Height	1320 mm (52")	1320 mm (52")
Weight	890 Kg (1962 lbs)	950 Kg (2094 lbs)
Minimum Media Size	297x210 mm (A4) (11.6"x8.2") - Portrait	297x210 mm (A4) (11.6"x8.2") - Landscape
Maximum die-cutting size	740x790 mm (29.1"x31.1")	740x1040 mm (29"x41")
Width with safety mat	3280 mm (129,2")	
Max Cutting Speed	1350 mm (53,15") / sec	
Acceleration	4 m/s ² (157 in/s ²)	
Power Requirements	3 Phase - 400V 50/60 Hz	
Power Requirements 400 V	5 KVA - 13A	
Power Requirements 208/ 240 V*	6 KVA - 25A	
Air requirements	6 BAR/90 PSI (3.5 CFM) 8 BAR/115 PSI (5.3 CFM) with Oscillating tool	
File Format	SVG, .PLT, .DXF, .CF2, .HPGL, .XML, .PDF	
Tool Change	Manual	
Tools Available	90°, 45°, 40°, Embossing, Creasing, Oscillating tool and Kiss cut tool	
Tool Holders	2 + (1F)	
Connectivity	Ethernet + USB	
Data Buffer	External PC	
Media Holding System	Vacuum	
Fixed Tool	Pen (Optional)	
Feeder Capacity	600 Sheets (300 gsm) - Height 200 mm (7,8")	
Cutting Capacity	0.1 > 5 mm (0,19") with Tangential Blade 0.1 > 12,7 mm (0,5") with Oscillating Blade	
Repeatability	≤0.1 mm	
Supported OS	Windows 7, 10, 11	
CropMarks Rec.	Camera + Software (Included)	

Folding carton



Foam board



**SUPERIOR
MANUFACTURING,
QUALITY AND
RELIABILITY**

AVG SPEED PER SHEET

is calculated between 25-40 seconds when cutting a box or a folder of medium complexity

*Countries lacking of 400V, it is necessary to use a power converter. (that we can provide if any).

TOOLS AND HOLDERS

The combinations between Tools and Holders make Valiani flatbed cutting machines the ideal solution for many applications and materials.



HOLDERS

All Valiani cutting machines are based on a modular tooling system that enables to assemble different tools from a set of common building blocks. Thanks to this system, users can quickly assemble tools for different finishing process. This reduces the time of tool changeover and boosts productivity.



TOOLS

Valiani has an array of tools that fit onto a multifunctional tool holder to enlarge the range of cutting process available on some models such as Oscillating knife, V-Cutting, Kiss-cutting and many others. Valiani tools grant the users both **Modularity** and **Quick-Change** capability. This versatility represents a gain in the machining capacity, providing tangible results and measurable return on investment (ROI).



INTERCHANGEABLE HEADS* (TO BE COMBINED WITH VERSATOOL)

Valiani has also an array of interchangeable heads* for their entire line of flatbed cutters. These heads are retained and positioned on the cutting head assembly by means of several small, yet powerful magnets, which make locking faster and hardware unnecessary. A dedicated wedge-fork is supplied with the heads which makes easy, safe and fast the head change. Each tool head is color-coded to help simplify recognition at a glance.

***INTERNATIONAL PATENT**



For more information scan the QR code or visit our website at www.valiani.com



LEGEND



MTH

Multifunctional Tool Holder



VTH

Versa-Tool Tool Holder



FTH

Fixed Tool Holder

Tool Holders



Invicta



Optima




Integra



Omnia

Machines



Holders

Multifunctional Tool Holder (MTH) IN OP IG OM



The Multifunctional Tool Holder is designed to fit many different tools. The simplicity of this tool holder makes it very easy to change from one tool to another. A simple locking system allows the operator to change tools anytime the cutting process requires, **in less than 10 seconds**. This feature translates into the possibility of having countless tools on the machine regardless of the number of the tool holder modules. The Multifunctional Tool Holder comes as standard with a quick and easy manual adjustment to set blade depth or creasing pressure (automatic adjustment on the Integra series). Holder can be operated in pressure or position mode.

- **Quick Tool Change and No calibration needed**
- **High Precision and quick Adjustment Setup**
- **Long Life and Heavy-Duty Equipment**

VersaTool Holder (VTH) IN OP IG OM



The VersaTool is the essence of the **All-in-One tool**, it is designed to fit all the Interchangeable cutting heads. The VersaTool, in combination with the right cutting heads, is ideal for half cut and full cut on varnishing plates/rubber blankets, on any type of cardboard and 45°V-cut on chip grey board. Thanks to the **patented magnets system**, tool change timing is drastically reduced, safeguarding cutting precision and increasing machine's productivity. **VersaTool Holder** can be equipped with 40°/45° beveled cutting heads, embossing/debossing, creasing, and 90° half-cut and through-cut head.

- **Quick Tool Change and No calibration needed**
- **Versatility and reliability**
- **Limitless expandability / No Obsolescence**

Fixed Tool Holder (FTH) IN OP IG OM



On Valiani machines it is possible to mount a fixed pen tool holder in addition to the ones provided by default. This tool holder supports every type of pen, pencil and felt-tip pen, thought to draw and write on many materials including cardboard and paper patterns for apparel market.





Powerful Pneumatic Oscillating knife (PPO)

Code 2FTDT23

For thick honeycomb cardboard, composite foam, coroplast, forex/PVC and a lot of many more materials. The oscillating cutting tool is a pneumatically powered tool, ideal for cutting heavy materials up to 20 mm (3/4")* but it can also handle thinner and softer ones. The combination of the air pressure strength and the 8 mm stroke make it suitable for a wide range of applications.

- **Powerful and low-maintenance pneumatic tool**
- **8 mm stroke/ 9.000 Bpm**
- **20 mm (3/4") cutting capacity***
- **Compatible with MTH**

Blade type:
oscillating
round shank
blades

*Depending on material rigidity

IN OP
IG OM

MATERIALS



Honeycomb board



Pvc/Forex/Foam board



Coroplast board



Rubber Gaskets



High-speed Pneumatic Oscillating knife (HPO)

Code 2FTDT35


Ideal on textile, foam, polyurethane and corrugated materials. The High-Speed Oscillating cutting tool is a pneumatically powered tool that combines performance with extreme precision. The 8 mm stroke and the high oscillating frequency make it capable to process softer and thinner materials at **higher speed**, reaching excellent quality levels at more silent pace.

- **High performance**
- **8 mm stroke/14.000 Bpm**
- **20 mm (3/4") cutting capacity on very soft materials like foam board**
- **Compatible with MTH**

Blade type:
oscillating
flat blades

IN OP
IG OM

MATERIALS



Multi-flute Corrugated board



Textile and Leather



Foam board



Micro Corrugated board



Multipurpose Tangential knife (MTT)

Code 2FTDT25

For folding carton and corrugated cardboard, vinyl, thin plastics and a lot more materials. The tangential cutting tool is a precise multi-depth tool, capable to handle material up to 5 mm (3/16") thick. The tangential knife allows to cut at full speed releasing very high-quality finishes. The tool is always **included** as standard on all machines except Invicta (optional).

- **High-quality finishing**
- **Versatile, handles most thin materials**
- **5 mm (3/16") cutting capacity**


Blade type:
Pulling flat
blades

IN OP
IG OM

MATERIALS



Folding Carton and Paperboard



Micro Corrugated board



Crystal Adhesives for Motorbike Decals



Grey chip board



Kiss-cut Tangential knife (KCT)

Code 2FTDT43

The Kiss Cutting Tool is a tool designed to peel the top-layer of thinner materials. Thanks to its mechanically controlled blade, it can perform cuts with extreme accuracy. Equipped with a blade guide, the tool provides consistent and precise control over the cutting depth for various applications, from vinyl stickers to labels and decals.


- **Type: Spring-controlled pressure**
- **Control: Manual, rotating disc on tool holder**
- **Pressure: Springs up to 120g, 650g and 1800g**

IN OP
IG OM

MATERIALS



Paper <200gr



Adhesive vinyl Sandblast



Adhesive PVC Banner



Protective film



Universal Creasing Tool (UCT)

Code 2FTDT24/2FTDT34 only for Invicta

The Universal creasing tool is a multi-use tool that comes as standard with 9 wheels with creasing and perforating functions. The tool is able to crease a wide variety of folding and corrugated cardboard, polypropylene, single and double flute sheets, etc.. Wheels can be easily changed thanks to the magnetic holding system.

- Adjustable creasing pressure
- Clean and precise creases
- Wheels easy mount
- Compatible with MTH

WHEELS AVAILABLE

- Set of creasers for Folding Cardboard (3 pcs)
- Set of creasers for Corrugated Cardboard (3 pcs)
- Set of perforating wheels (3 pcs)


Ø 16 - Ø 32 mm

IN OP
IG OM


MATERIALS



Folding Carton and Paperboard



Micro Corrugated Board



Polypropylene Honeycomb



Archival Corrugated Board

Multi-Wall Creasing Tool (MCT) Code 2FTDT38

The 4 Multi-Flute creasing wheels have been designed to handle double and triple flute thick corrugated board. They work in combination with a special creasing tool to be bought separately.* The larger diameter of the creasers allows to produce fine creases both with and against the corrugation, Multi-Wall Creasing Wheels can be easily changed thanks to the magnetic holding system.


- Wheel easy mount
- Clean creases on double and triple wall corrugated board
- Adjustable creasing pressure

*Multi-wall creasing tool (2FTDT38) and wheels are optional upon request, not included within the above Universal Creasing Tool (2FTDT24/2FTDT34).


Ø 60 mm

IN OP
IG OM

MATERIALS




Single-Wall Corrugated Cardboard



Double-Wall Archival Cardboard



Triple-Wall Corrugated Cardboard



Polypropylene Honeycomb Coroplast




Plot Drawing Tool (PDT) Code 2FTDT26

For those needing to write part numbers or job names on items prior to cutting. The Plot Drawing Tool is available for the tool holder body and it takes standard pen cartridge ball point. This tool is also ideal to label materials such as cardstock with text, marks or symbols for the apparel industry.

- High speed
- Quick pen change
- Ideal for text or marks on cardstock
- Compatible with MTH

IN OP
IG OM


MATERIALS




Folding Cardstock



Any cardstock for apparel patterns



Polycarbonate sheet



Polyester-based Varnishing Plates

V-Cut and Bevel Tool (VBT) Code 2FTDT33

The V-Cutting tool is a specific tool for creating beveled edges and folding thicker materials. The tool is ideal for producing three-dimensional structural designs made of honeycomb cardboard, foam core materials or light coroplast display board. The tool has multiple blade holders* to produce bevel cuts at 15°, 22.5°, 30° (optional) and 45° (included). Thickness capacity ranges between 6 mm (0,23") and 16 mm (0,62").

- Heavy-duty
- For display racks and large-sized cardboard structures
- Variable angle*
- Compatible with MTH

*15°, 22.5°, 30° blades are optional upon request, not included within V-Cut Tool.


*Available on Optima and Integra only

OP IG

MATERIALS




Honeycomb board



Triple-Wall Corrugated



Foam board



Light Coroplast



Routing Tool (RT) Code 2FTDT37/2FTDT39

The **1 kW** router can handle the processing of the most common rigid supports used in the graphic and sign industry including rigid PVC/Forex, acrylic/plexiglass, Dibond/aluminum composite panels and soft & hard woods up to 13 mm (0,5") thick; allowing to produce a perfect finishing of printed materials and much more. The routing bit shank reaches a maximum of 8 mm (0,315") in diameter.

- **Speed range 5.000 - 60.000 rpm**
- **Routing bit tool change: manual wrench**

IG

MATERIALS



Aluminum composite



Soft and Hard Woods/MDF



Plexiglass/Acrylic sheets



Pvc/Forex sheets

Interchangeable Heads*

To be combined with VersaTool

IN

OP

IG

OM



White 90° - Straight Cut and Half-Cut (IHW) Code 2FTDT04-V

The 90° White head has been developed to cut a wide range of materials up to a thickness of 6,3 mm (1/4"), as well as to perform half-cut. It comes as standard with one pressure roller and a teflon foot. It is generally used to cut grey chip board to create lids and slipcases for luxury packaging and extremely effective on offset rubber and varnish blankets.

- **Multi-purpose cutting head**
- **Half-cut tool on grey chip board**
- **Clean & precise cutting of varnish and rubber blankets**
- **Compatible with VersaTool Holder**

* PATENT


MATERIALS




Grey chip board sheets



Luxury packaging board



Varnishing plates & rubber blankets



Polyester-based Varnishing Plates


Green 40° - Bevel Cut (IHG) Code 2FTDT20




The 40° Green head produces a bevel cut at 40° angle, ideal for both cutting small shapes and traditional bevel cutting. It cuts up to 2.3 mm (0,09"). Recommended for mat-board and polyester-based offset varnishing plates.

- **Ideal bevel cutting tool for mat boards**
- **Intricated design cut on polyester based varnish plates**
- **Compatible with VersaTool Holder**

MATERIALS




Standard mat-board up to 2.3mm (6ply)



Polyester-based Varnishing Plates



Suede mat-board up to 2.3mm (6ply)



Thin Museum Archival board


Blue 45° - Bevel Cut (IHB) Code 2FTDT21-A



The 45° Blue head produces a bevel cut at 45° angle. This head can cut up to **5 mm (3/16")** thickness and performs V-Cutting as well. This application is highly demanded in the field of luxury packaging and more precisely to create rigid boxes. Excellent results are also obtained while cutting grey chip board and foam board.

- **More pronounced bevel cut on mat-boards**
- **Ideal for high-end luxury boxes**
- **Fine edges on V-cuts**
- **Compatible with VersaTool Holder**

MATERIALS



Standard mat-board



Foam board up to 5 mm (3/16")



Grey chip board up to 5 mm (3/16")



Luxury packaging board




Purple - Embossing / Debossing (IHP)

Code 2FTDT09

The Embossing/Debossing Purple head includes 4 different tip types and it is used to create thin decorations by applying pressure on different materials. Any shape or design can be elegantly embossed/debossed on the surface of the material depending on its rigidity and consistency.

- Give your design another dimension
- Raise the surface of your design
- Ideal for braille characters applications
- Compatible with VersaTool Holder


MATERIALS



Standard mat-board



Coated and laminated paper



Folding Cardstock



Braille characters



Grey 90° - Straight Cut (IEH)

Code 2FTDT16


The 90° Grey head has been developed to perform a straight cut on a wide range of materials up to a thickness of 5 mm (3/16"). It releases a perfect finishing results on folding and thin corrugated cardboard, vinyl adhesives, thin plastics and more. It has a similar function of the Multipurpose Tangential knife (MTT).

- Universal straight cutting tool
- It comes as standard with a metal and teflon foot
- Compatible with VersaTool Holder

MATERIALS




Grey chip board



Micro Corrugated board



Heavy cardstock for apparel patterns



Crystal Adhesives for Motorbike Decals



Brown - Creasing/Scoring (IHBr)

Code 2FTDT18

The Creasing Brown Tools set consists of one head with **9 wheels** of various geometry, which have been developed for the packaging market for those who need to crease cardstock, flute board, corrugated board and polypropylene. It has the same function of Universal Creasing Tool (UCT).

- Adjustable creasing pressure
- Clean and precise creases
- Wheels easy mount
- Compatible with VersaTool Holder

WHEELS AVAILABLE


- Set of creasers for Folding Cardboard (3 pcs)
- Set of creasers for Corrugated Cardboard (3 pcs)
- Set of perforating wheels (3pcs)

Ø 16 - Ø 32 mm


MATERIALS



Folding Carton and Paperboard



Micro Corrugated board



Polypropylene Honeycomb



Archival Corrugated board

Brown - Creasing Wheels (Part of IHBr)

WHEELS



1

Perforating tool: Serrated cut wheel, Ø 32 mm, 2-1 mm step.



2

Blade tool: Metal round-knife wheel, Ø 32 mm diameter.



3

Perforating tool: Serrated cut wheel, Ø 32 mm, 3-1 mm step.



4

Scoring tool: 32 mm diameter, 2 mm round crest.



5

Scoring tool: 32 mm diameter, 1.5 mm round crest.



6

Scoring tool: 32 mm diameter, 1 mm round crest.



7

Scoring tool: 16 mm diameter, 0,7 mm round crest.

8

Scoring tool: 16 mm diameter, 1 mm round crest.

9

Scoring tool: 16 mm diameter, 1,5 mm round crest.

Fixed Tools



Multipurpose Drawing Tool (MDT) Code 2FTDT30


On every machine it is possible to mount a fixed tool as a third or second optional tool depending on the machine model. The Multipurpose Drawing tool is very user-friendly since it takes standard drawing tools such as felt-tip pens and ballpoint pens.

- Available for Invicta, Optima, Integra and Omnia
- Precise on any type of writing or decoration
- Works with any type of pen
- Compatible with Fixed Tool Holder

MATERIALS



Mat-board



Varnishing plates & rubber blankets



Any cardstock for apparel patterns



Micro and Double Corrugated board



OUR PEN CARTRIDGES CAN FIT ALMOST ANY PEN AVAILABLE ON THE MARKET


PEN CARTRIDGES (INCLUDED)



1 Bronze/Gold:
Upper and lower diameter 15-8,5 mm



2 Black/Red:
Upper and lower diameter 8,5-5,5 mm



3 Orange/Blue:
Upper and lower diameter 11-5,8 mm

SOFTWARE AND PROGRAMS

What makes Valiani special is the ability to integrate innovative and extremely easy-to-use software solutions.

You can choose among different software and applications to make your Valiani perform at its best.



V-STUDIO

V-Studio is the Valiani desktop application software, developed to improve the man/machine experience. Thanks to an optimized design environment and equipped with innovative tools, users will be able to cut any .SVG, .PDF and .PLT, as well as .CFF2 and DXF. This user-friendly software makes it easy producing customized packaging models* and perform contour cuts** on pre-printed materials. With the intuitive user interface and powerful toolset, anyone can cut a job like a professional after a short training. (included)

*Packaging models are within the M3 or M3 Art software.
**Contour cut can be performed with Opticrop Software.



OPTICROP

OptiCrop is the software that allows you to manage contour cut on pre-printed images and create endless application. Used in conjunction with a high-resolution camera, it allows you to identify crop marks, realign graphics to match them and adjust the print skew. (optional)



M3 AND M3 ART

M3 and M3 Art software are the perfect way to start producing boxes and POP/POS Displays. Using their large parametric library, that includes models for folding carton, corrugated board, honeycomb board and rigid grey board, you have virtually endless possibilities. (optional)

V-STUDIO

THE SIMPLEST WAY TO MAKE THE BEST FROM YOUR VALIANI

INCLUDED




FULL CONTROL OVER YOUR VALIANI

You can set plotting process, tools, pressure and speed, overcut, multi-cut, blade offset, mirroring, cut selection and many others.



SUPPORTING MOST COMMON GRAPHIC SOFTWARE

Works perfectly with Adobe Illustrator or Corel Draw through .SVG or .PDF file format, CAD software through .DXF file format and last but not least most of the Packaging CAD through .CFF2 file format. Other file formats for importation from most popular graphics R.I.P software available.



CONTOUR CUTTING

Easy adds crop marks over your print with a script for Adobe Illustrator and a Macro for CorelDraw, recognizes different plotting process through predefined color strokes and allows new pairing when needed, a colors swatch is also available for both graphic software.



DETECTING CROP MARKS IN COMBINATION WITH OPTICROP

Reads crop mark of multiple sizes and shapes, including white marks on dark materials. Manages single sheet, multiple poses, or large print with multiple crop marks, as well as layers and groups to optimize cutting workflow.



PROTECTING YOUR BUSSINESS

Stores your machine configuration on our Cloud for easier configuration restore and prevents from losing data.



REASSURING

Guarantees free updates* on V-Studio from Valiani website so that all users could always benefit of the latest features.



MANAGING MATERIALS DATABASE

Optimizes the software usage by storing all your materials details including their cutting parameters, relevant tools and blades, cutters or creasers.



UNIVERSAL COMPATIBILITY

If English is not your first language, V-Studio is available in 10 more languages which includes Italian, French, Spanish, Japanese, Chinese, Russian, Flemish, German and Korean.

Supported by Windows Operating System.



For more information scan the QR code or visit our website at www.valiani.com

*Latest software might not be compatible with very old Valiani machines, please contact customer support before proceeding.



- Fully compatible with Adobe Illustrator and Corel Draw.
- Cutting process through colors matching.
- QR/BarCode File Import.
- Integrated with most of Packaging CAD and R.I.P. Software.
- Capable to handle most common vector file formats (.SVG, .PLT and .PDF).
- VXML file format compatibility for both Output and Input.
- Available for Windows 11, 10, 8 and 7.
- Translated into 10 languages.
- Optimize cutting path to reduce working time.
- Option to cut only selected objects.
- Capable to import 2D project from most of CAD software through .DXF file format.

M3 & M3 ART

EVERYTHING YOU NEED TO REALIZE PACKAGING AND POP / POS DISPLAYS

M3* and **M3 Art*** software are the perfect ways to start producing in-house boxes and POP/POS Displays. Using their large parametric library, that includes models for folding carton, corrugated board, grey chip board and rigid honeycomb board, you have virtually endless possibilities. It is a valuable support for any graphic departments.

m3 is a complete library of parametric models and designs, specially designed for Valiani cutting machines. M3 is structured to give the possibility to modify, resize and cut boxes, displays and other 3D objects made with cardboard and many packaging materials.

m3 art is a combination of features that allows graphic designers the flexibility to work directly in Adobe Illustrator using file boxes or POP / POS displays and benefiting from their parameterization.

Native M3 files can be opened in Adobe Illustrator without conversion and can be processed within the same work environment. Focusing on the visual aspect of the design process, M3 Art offers intuitive 3D prototyping and realistic visualization of the different types of material, printing and finishing. This integration allows graphic and CAD software to complement each other by increasing productivity without requiring any effort.

M3 Art is available either in Windows or IOS version.

* optional



For more information scan the QR code or visit our website at www.valiani.com

m3



M3 Library of Packaging Designs

The M3 Library of resizable packaging standards comes with approx. **600** parametric designs for folding carton, corrugated board, grey chip board and PVC. From Version 2023 on, M3 includes **50** templates for archival storage and conservation boxes.

- A parametric library available both in millimeters and inches.
- Integrated index file with sections for different materials.
- Support of the ECMA and FEFCO standard designs.
- Resizing and automatic structural modification by parameter editing.





m3 art

M3 Art Library of packaging design

The **M3 Art** Library of resizable packaging standards has accumulated around **2.300** parametric designs for folding carton, corrugated board, grey chip board for **luxury boxes**, rigid honeycomb board and PVC. Together with the **200** patterns of POP/POS/Displays, **the user has over than 2500** available templates. The full ECMA and FEFCO codes have been parametrized and included in the Library among many others. A parametric Library available both in millimeters and inches.




Archival Storage and Conservation Boxes

The **M3** and **M3 Art** Library now also includes **50** templates for archival storage and conservation boxes. Mainly used for Museums and Libraries.

- Clam-shell trays
- Storage boxes
- Envelopes
- Multi-Side wraps
- Slips cases

Available for both, M3 and M3 Art.




M3 Art Library of Displays

The **M3 Art** Library of displays and multipart structures includes around **200** resizable designs for corrugated board and rigid board materials. The 2D and 3D designs can be opened in the M3 ART software or directly in Adobe Illustrator, where graphic designers can create the graphics and generate production files with high resolution images.

- POP/POS structures come as free-standing displays, counter displays, walls, stands, furniture.
- Design recalculation takes place automatically after material thickness is changed. This minimizes design time and eliminates repetition induced errors.
- Multiple-material structures are featured.
- 3D folding sequences are integrated into display library designs for complete presentations. They can also be used for assembly instructions.

Only M3 Art.



M3 ART Cardboard Furniture

M3 Art offers some unique templates for creating eco-friendly furniture, totally customizable in shape and finishes.




Only M3 Art.

M3 ART Library of Luxury Boxes

M3 form version 9 supports grey board designs ideal to create **luxury boxes**. Luxury rigid boxes consist of packaging materials that have been developed and tailored to give the goods a distinctive touch. These boxes are usually made with rigid material such as grey chip board and wrapped by a card of excellent finish to make them more appealing to customers, while still serving their purpose.

Some examples of:

- Body and Lid.
- Trays with Hinged Lid.
- Magnetic Closure boxes.
- Shoulder and Neck Boxes.
- Slipcase.



Only M3 Art.

3D Presenter

The 3D module allows realistic visualization and proofing of the 2D structure of the artwork of **packaging** and **POP/POS displays**. At every step of the creation process, the designer can see the changes apply in 3D and share the PDF prototype with colleagues and clients.


- Definition of the folding sequence, navigation and animation of the 3D model.
- Insertion of 3D parts for assembling multiple POP/POS displays and structures.
- 3D dimensioning.
- Realistic visualization of materials with their folded and cut edges.
- Generation of 3D animated PDF for easy sharing with customers.

Only M3 Art.

Integration with Adobe Illustrator

M3 ART packaging software is integrated with Adobe Illustrator. The **plug-in** lets graphic designers easily apply artwork onto structural drawings. Verifying the results in the 3D environment happens quickly and without efforts.

Only M3 Art.



1

2

3

LEGEND

1. Template can be edited and resized directly in Adobe Illustrator.
2. Graphics can be applied directly on AI and visualize through the 3D presenter.
3. A 3D animated PDF can be generated to share the final project before any cutting actions being made.

OPTICROP

GIVING SHAPE TO PRINTS

ADVANCED CROP MARK DETECTION SYSTEM

OptiCrop* is the software that allows you to manage contour cut on pre-printed images and create endless application. Used in conjunction with a high-resolution camera, it allows you to identify crop marks, realign graphics to match them and adjust the print skew.



CROP MARK DETECTION

Once the camera is positioned on the first printing mark, OptiCrop automatically detects the 2nd, 3rd and 4th marks, redrawing the artwork according to its position on the cutting table. Retry mode is a time saving feature that allows the user to repeat the crop mark acquisition cycle.



PRINT ALIGNMENT

Through the crop mark detection Opticrop is capable to straighten the cutting trace and compensate print distortion. This operation can be performed on a single sheet or even on multiple sheets. Number of crop mark determines the precision of contour cutting. 4 crops ensure maximum precision for almost any kind of distortion, whereas 2 -3 crops can be faster but with limited compensation.



VECTOR FILE IMPORT

OptiCrop works with .SVG (Adobe Illustrator or Corel Draw), .VXML and PDF files.

OptiCrop software works with vector files, it is possible to set-up plotting process using different pen colors on your artwork. It is also possible to use group function and layers to optimize work flow.

This feature also recognizes different colors and allows the user to set-up halftone colors.

* optional



For more information scan the QR code or visit our website at www.valiani.com



- Straightening cutting process available up to +/- 44°.
- QR code import - QR code can be used to identify the job and automatically load it. QR code can be acquired directly by the built-in machine camera.
- Barcode import - Barcode can be used to import file.
- Squared and rounded shape crop marks, whether black or even white on a dark background.
- Customizable registration crop mark sizes.
- Mirror Mode for Reverse side processing.
- Quick crop mark detection time.
- Print distortion compensation.

Customer Experience Center

"From Briefing to Experience: from this concept comes the idea of creating a place to support our customers and present our latest products and technologies but, above all, to truly connect customers with our corporation. We recognize that customers want more than being talked to; they want an experience that feels both personal and authentic. Relying on a **50 year old** company is synonym of expertise, know-how and reliability. This is what customers are looking for entrusting themselves to a partner with solid background and experience in the market."

Nico Valiani



Live a fully personalized experience

Your time is valuable. This is why we work to provide any customer a unique and personalized experience, for which our team will work directly with you to identify the objectives of the meeting before the visit.



Interact with experts

Whether you want to have a deep discussion on a particular machine in the Valiani portfolio or a deeper conversation about the available tools, the type of material the machine can cut or additional software, you'll be directed to the right products.



Discover industry trends

Industries are evolving every day and so are the need for improved technology. Our teams regularly conduct and review market research on each of the industries we serve, to provide you a deep understanding of the important trends that are likely to impact your business. Then we can discuss how you can best respond to them to capture and preserve your edge for the years to come.

Full range of products



Our Valiani Customer Experience Center features our most recent products and solutions.



Visit our
Showroom





DOWNLOAD OUR
CATALOGUE



part of the
Summa
group

Valiani srl

Via delle Regioni 305
50052 Certaldo - Firenze - Italy
info@valiani.com - **valiani.com**

Follow us



JOIN OUR
NEWSLETTER