




TOOLS FOR CREATIVES





B-FLEX: Italian-made quality and innovation

We produce the highest quality heat transfer vinyl on the market. Ease of use, quick application, and long-lasting results are the main features of our products. Fast shipping and after-sale support are some of our competitive advantages. If you need assistance regarding your garment decorating needs, our experts are here to help.

Making your job simpler and faster is our mission.

OUR VALUES

QUALITY

We've developed the perfect formula for our heat transfer adhesive. It's reliable, thin, stretchy, wash-resistant, and works at a low temperature.

SERVICE

We pack and ship your orders within 24 hours, anywhere in the world.

CONSULTING

Our team of experts will help you find a customized solution for your garment decorating needs, guiding you stepby-step.

MADE IN ITALY

We source the highest quality raw materials, manufacture with state-of-the-art machinery, and work around the clock to provide you with the best service. Your business is our passion.

TUTORIAL

[ITA/ENG]

Visit our **YouTube** channel to discover new application techniques. Our tutorials will help you find the inspiration for your next project. Not just letters and numbers, but also other creative applications.



MARKETING TOOLS

CATALOGUES

SAMPLE KIT

WEEDERS

SQUEEGEES

HEAT TRANSFER PILLOWS

COMMUNICATION KIT



GIMME5

Top-notch quality with a quick application

"Whether I customize cotton t-shirts, hoodies, or work pants, which heat transfer vinyl can offer ease of use while guaranteeing a long-lasting result?"

We created **GIMME5** to answer that question. It applies in just 4 seconds at 140°C/285°F, offers a wide color selection, is fully opaque even on dark garments, and has an elegant matt finish.

Thanks to its thickness of only 80 microns, GIMME5 is pleasant and soft on any garment and easy to use. This film is made using only the highest quality raw materials, which ensures a long-lasting application. We have tested it to last over 100 wash cycles at 90°C/194°F. **GIMME5** is also available in a printable version called **FIVE PRINT 00**, with a semi-matt finish. or FIVE PRINT 01, with a matt finish.

Are you old school? Is four seconds too fast for you? Use our **BF700** series. It's a quality film that has been tested over time as it was the first product released by B-Flex. The printable version of our **BF700** is called **BF** PRINT 00, with a semi-matt finish, or BF PRINT 01 with a matt finish.





Are you in the sportswear industry?

How do you choose the correct heat transfer vinyl to use on specialized fibers used in the sportswear world?

POLYESTER ATHLETIC GARMENTS

How can you prevent dye-migration from sublimated polyester onto your heat transfer letters? Use BF SUBLISTOP, or its printable version, BF PRINTSU. Also try BF SUBLISTOP 80, with a thickness of just 80 microns it's soft.

K-WAY®, WINDBREAKERS, **BAGS, AND NYLON FABRICS —**

Use BF NYLON and its printable version BF PRINT NYLON. Thanks to its custom-designed adhesive,

BATHING SUITS, LEGGINGS, AND ELASTIC FIBERS -

Use **BF STRETCH**. Our most stretchable heat transfer vinyl. Thanks to its thickness of only 65 microns, it has a soft feel and blends perfectly with the garment it's being pressed on.

SOFTSHELL AND PUFFER JACKETS –

The exceptional **BF WINDSTOP** has three main characteristics that make it ideal for applications on Soft Shell jackets: It applies at just 110°C/230°F, it has a sublistop barrier that prevents dye-migration, and a powerful bond that ensures a long-lasting application even on difficult garments.



Are you a professional in the workwear industry?

These products are ideal for safety gear as they can provide high visibility

REFLECTIVE EFFECT —


Choose **BF REFLEX**, or **BF PRINTREF** for the printable version.

It can be applied on vests, jackets, pants, and other cotton or synthetic garments. Its reflective finish will give your products that high visibility you're looking for.

GLOW-IN-THE-DARK EFFECT -

Make your designs stand out thanks to the glow-in-thedark effect of our **BF GLOW IN THE DARK**, and its printable version, **BF PRINTGLOW**. It's ideal for applications on cotton, synthetics, and mixed fibers.







Are you in the fashion industry?

Are you inspired by the latest fashion trends? Unleash your creativity using B-Flex's heat transfer vinyl created specifically for the fashion industry.

SPARKLY EFFECT —

Use **BF GLITTER** or **BF SANDY GLITTER**. Both will provide a sparkly effect that only a glitter vinyl can provide. With **BF GLITTER**, you can maintain a soft and pleasant surface on your garment. Its glitter flakes are placed inside the vinyl's layers during production. With BF SANDY GLITTER, you'll have the flashiest glitter vinyl with a textured surface. **BF GLITTER** is available in a printable version in three different colors: white (BF PRINTGW), silver (BF PRINTSG), and gold (BF PRINTGG).

GLOSSY FINISH —

With BF VARNISH you can obtain a super glossy finish that will give your garments a shiny appearance.

PEARL EFFECT —

BF METALLIC is a cuttable film that will make heads turn thanks to its pearlescent finish.

HOLOGRAPHIC EFFECT —

BF GLAM will provide you with the highly sought-after holographic effect. Check out **BF GLAM RAINBOW** which contains four rainbow colors.

MIRROR EFFECT -


Are you looking for a traditional mirror look? Use **BF MIRROR**. If you want that same look but need something softer to the touch, try BF MIRROR SOFT.

3D EFFECT —

If you're trying to make your garments stand out, use **BF FATTY** and its printable version, **BF PRINTFATTY**. Having a thickness of 750 microns will make your designs pop out and feel three-dimensional.


VELVET EFFECT —

BF FLOCK and its printable version, BF PRINTFLOCK are soft and provide a true velvet finish.



BF MIRROR

BF FATTY



B·FLE<mark>/</mark>

FILMS FOR GARMENT DECORATION: CAD-CAM





































	•	i																	
PRODUCT NAME	PU	PET	THICKNESS	MATT FINISHING	GLOSSY FINISHING	FINISHING	ADHESIVE LINER	PLOTTER CUT	ORGANIC FABRICS	POLYESTER FABRICS	NYLON FABRICS	STRETCH FABRICS	SUBLIMATED POLYESTER	TEMPERATURE	TIME	TRANSFER PRESSURE	LINER REMOVAL	WASH TEMPERATURE	DRYER
GIMME5			80 μ					45°						140°C - 285°F	4"	3,5 bar - 50 PSI	НОТ	90°C	
GIMMES SPECIAL			80 μ					45°						140°C - 285°F	4"	3,5 bar - 50 PSI	НОТ	60°C	
GIMME5 FLUO			90 μ					45°						140°C - 285°F	4"	3,5 bar - 50 PSI	НОТ	60°C	
BF 700			90 μ					45°						140°C - 285°F	10"	3,5 bar - 50 PSI	HOT	90°C	
BF 700 SPECIAL			90 μ					45°						140°C - 285°F	10"	3,5 bar - 50 PSI	НОТ	60°C	
BF 700 FLU0			90 μ					45°						140°C - 285°F	10"	3,5 bar - 50 PSI	HOT	60°C	
BF SUBLISTOP 80			80 μ					45°						130°C - 265°F	8"	3,5 bar - 50 PSI	НОТ	40°C	
BF SUBLISTOP			120 μ					45°						140°C - 285°F	10"	3,5 bar - 50 PSI	НОТ	40°C	
BF WINDSTOP			180 μ					45°		SOFT- SHELL				110°C - 230°F	8"	3,5 bar - 50 PSI	НОТ	40°C	
BF NYLON			75 μ					45°						145°C - 295°F	12"	3,5 bar - 50 PSI	SEMI-HOT	40°C	
BF STRETCH			65 μ					45°						140°C - 285°F	10"	3,5 bar - 50 PSI	COLD	60°C	
BF SPORT SUBLI			80 μ					45°						130°C -265°F	8"	3,5 bar - 50 PSI	НОТ	40°C	
BF SPORT			80 μ					45°						145°C - 295°F	10"	3,5 bar - 50 PSI	НОТ	40°C	
BF REFLEX			140 μ			REFLEX		60°						140°C - 285°F	10"	3,5 bar - 50 PSI	HOT	40°C	
BF PROMOTIONAL			80 μ					45°						145°C - 295°F	10"	3,5 bar - 50 PSI	COLD	40°C	
BF VARNISH			100 μ					45°						145°C - 295°F	10"	3,5 bar - 50 PSI	НОТ	40°C	
BF FATTY			750 µ					60°						150°C - 305°F	15"	2,0 bar - 30 PSI	COLD	40°C	
BF FLOCK	RAYON		~500 µ			VELVET		60°						160°C - 320°F	16"	2,0 bar - 30 PSI	SEMI-HOT	40°C	
BF MIRROR			100 μ					45° - 60°						150°C - 305°F	12"	3,5 bar - 50 PSI	SEMI-HOT	30°C	
BF MIRROR SOFT			60 μ					45°						150°C - 305°F	12"	3,5 bar - 50 PSI	SEMI-HOT	30°C	
BF METALLIC			90 μ					45°						140°C - 285°F	12"	3,5 bar - 50 PSI	НОТ	40°C	
BF GLITTER			100 μ					45°						145°C - 295°F	10"	3,5 bar - 50 PSI	НОТ	60°C	
BF SANDY GLITTER			320 μ			ROUGH		60°						150°C - 305°F	10"	3,5 bar - 50 PSI	НОТ	60°C	
BF GLAM			90 μ					45°						140°C - 285°F	12"	3,5 bar - 50 PSI	НОТ	40°C	
BF GLOW IN THE DARK			140 μ					45°						145°C - 295°F	12"	3,5 bar - 50 PSI	SEMI-HOT	40°C	

Our products comply with regulation nº 1907/2006/EU (REACH)

You can view the data sheets directly from the label outside and inside the packaging with the QR code and work faster and easier.











The Oeko Tex certification applies to certain products as listed on our website www.b-flexitalia.com





FILMS FOR GARMENT DECORATION: PRINT&CUT



































PRODUCT NAME	PU	PVC	THICKNESS	MATT FINISHING	GLOSSY FINISHING	ECO SOLVENT INKS	LATEX INKS	UV INKS	SUBLI INKS	ADHESIVE LINER	ORGANIC FABRICS	POLYESTER FABRICS	NYLON FABRICS	SUBLIMATED POLYESTER	TEMPERATURE	TIME	TRANSFER PRESSURE	LINER REMOVAL	WASH TEMPERATURE
BF PRINT50			55 μ												140°C - 285°F	6"	3,5 bar - 50 PSI	SEMI-HOT	40°C
BF PRINTOO			90 μ	SEMI MATT											140°C - 285°F	10"	3,5 bar - 50 PSI	НОТ	90°C
BF PRINT01			90 μ												140°C - 285°F	10"	3,5 bar - 50 PSI	НОТ	90°C
BF PRINT02			50 μ												150°C - 305°F	10"	3,5 bar - 50 PSI	SEMI-HOT	40°C
BF PRINT02 GLOSSY			50 μ												150°C - 305°F	10"	3,5 bar - 50 PSI	SEMI-HOT	40°C
BF PRINT03	50%	50%	120 μ												145°C - 295°F	12"	3,5 bar - 50 PSI	НОТ	40°C
BF PRINT04	50%	50%	160 μ												145°C - 295°F	12"	3,5 bar - 50 PSI	НОТ	40°C
BF PRINTSU			120 μ												140°C - 285°F	10"	3,5 bar - 50 PSI	HOT	40°C
BF PRINTSU 80			80 μ												130°C - 265°F	8"	3,5 bar - 50 PSI	НОТ	40°C
BF PRINT NYLON			75 μ												145°C - 295°F	12"	3,5 bar - 50 PSI	НОТ	40°C
BF PRINT UV			80 μ												140°C - 285°F	10"	3,5 bar - 50 PSI	HOT	40°C
BF PRINT GLITTER			100 μ												150°C - 305°F	10"	3,5 bar - 50 PSI	HOT	40°C
BF PRINTTOPM/P ¹			60 μ												145°C - 295°F	8"	3,5 bar - 50 PSI	НОТ	40°C
BF PRINTTOPG/P ¹			60 μ												145°C - 295°F	8"	3,5 bar - 50 PSI	HOT	40°C
BF PRINTGLOW			140 μ												145°C - 295°F	12"	3,5 bar - 50 PSI	SEMI-HOT	40°C
BF PRINTREF			150 μ	REFLEX											150°C - 305°F	10"	3,5 bar - 50 PSI	SEMI-HOT	40°C
BF PRINTOLD			170 μ												145°C - 295°F	12"	3,5 bar - 50 PSI	SEMI-HOT	40°C
BF PRINTFATTY			750 μ												150°C - 305°F	15"	2,0 bar - 30 PSI	НОТ	40°C
BF PRINTFATTY UV			750 μ												150°C - 305°F	15"	2,0 bar - 30 PSI	HOT	40°C
BF PRINTFLOCK	RAYON		~500 µ	VELVET											160°C - 320°F	16"	2,0 bar - 30 PSI	HOT	40°C
BF PRINTFLOCKSUBLI	PET		~600 µ	VELVET											160°C - 320°F	16"	1,5 bar - 20 PSI	HOT	40°C
FIVE PRINTOO			80 μ	SEMI MATT											140°C - 285°F	4"	3,5 bar - 50 PSI	НОТ	90°C
FIVE PRINT01			80 μ												140°C - 285°F	4"	3,5 bar - 50 PSI	НОТ	90°C
FIVE PRINTTOPG/P ¹			60 μ												140°C - 285°F	4"	3,5 bar - 50 PSI	HOT	40°C
FIVE PRINTTOPM/P ¹			60 μ												140°C - 285°F	4"	3,5 bar - 50 PSI	НОТ	40°C
BF MYLAR - application tape	PET		100 μ																

1. P=available also with paper liner.

2. Temperatures related on heat transfer vinyl; for the inks features, refer to the data sheet inks producer's.

Our products comply with regulation nº 1907/2006/EU (REACH)

You can view the data sheets directly from the label outside and inside the packaging with the QR code and work faster and easier.









DOWNLOAD THE DATA SHEET



The Oeko Tex certification applies to certain products as listed on our website www.b-flexitalia.com





B·FLE,

IMPORTANT NOTE

GIMME5 and **BF700** are two different product lines with different application times. To order GIMME5, the correct SKU is FIVE XXXA (eg. FIVE 700A) To order BF700, the correct SKU is BFXXXA (eg. BF700A).

BF 700A Gimme5



IMPORTANT NOTE

BF 760A

BROWN

FIVE 760A

GIMME5 and **BF700** are two different product lines with different application times.

To order GIMME5, the correct SKU is FIVE XXXA (eg. FIVE 700A)

To order BF 700, the correct SKU is BF XXXA (eg. BF 700A).

				Gimm BF 700 Sp	e5 Special ecial	Gimme5 Fluo BF 700 Fluo				
BF 754A GRASS GREEN	FIVE 754A	BF 764A LEATHER	FIVE 764A	BF 791A ROSE GOLD	FIVE 791A	BF FLUO20A FIVE FLUO20A NEON YELLOW				
BF 750A GREEN	FIVE 750A	BF 769A CARAMEL BEIGE	FIVE 769A	BF 792A GOLD	FIVE 792A	BF FLUO30A FIVE FLUO30.				
BF 780A FOREST GREEN	FIVE 780A	BF 763A CAPPUCCINO	FIVE 763A	BF 793A BRONZE	FIVE 793A	BF FLUO40A FIVE FLUO40 NEON PINK				
BF 781A OLIVE GREEN	FIVE 781A	BF 768A SAND	FIVE 768A	BF 794A COPPER	FIVE 794A	BF FLUOSOA FIVE FLUOSOA NEON GREEN				
BF 788A MINT GREEN	FIVE 788A	BF 766A BEIGE	FIVE 766A	BF 795A GRAPHITE	FIVE 795A	BF FLUO46A FIVE FLUO46 NEON BLUE				
BF 787A LIGHT TURQUOISE	FIVE 787A	BF 712A LIGHT GREY	FIVE 712A	BF 796A SILVER	FIVE 796A					
BF 783A	FIVE 783A	BF 714A	FIVE 714A							
AQUAMARINE	FIVE 703A	GREY	FIVE/14A							
BF 782A TURQUOISE	FIVE 782A	BF 710A BLACK	FIVE 710A							
						Our products comply with regulation nº 1907/2006/EU (REACH)				





BF Sublistop BF Sublistop Fluo BF Sport Subli BF Mirror BF Metallic BF Glam BF Nylon BF 700ASU80 BF FLUO20ASU BF Y796A BF R700ASU80 BF M700A **BF Y700A** BF SG **BF L796A** WHITE SPORT SUBLISTOP (80 µ) WHITE SUBLISTOP (80µ) NEON YELLOW SUBLISTOP WHITE NYLON SILVER NYLON GOLD MIRROR WHITE METALLIC SILVER GLAM **BF Super Special BF Sport** BF 700ASU BF FLUO30ASU **BF Y720A** BF SS BF M730A **BF L792A** NEON ORANGE SUBLISTOP MEDIUM YELLOW NYLON SILVER MIRROR RED METALLIC WHITE SUBLISTOP GOLD GLAM BF 728ASU BF FLUO40ASU BF Y734A BF R720A BF SR BF M738A BF L734A **BF REF** LEMON YELLOW SUBLISTOP NEON PINK SUBLISTOP ORANGE NYLON REFLECTIVE MEDIUM YELLOW SPORT RED MIRROR CYCLAMEN METALLIC ORANGE GLAM BF FLUO50ASU BF Y730A BF M742A BF 720ASU **BF GLOW BF R730A BF S777** BF L730A MEDIUM YELLOW SUBLISTOP NEON GREEN SUBLISTOP GLOW IN THE DARK HOLOGRAPHIC MIRROR BLUE METALLIC RED NYLON RED SPORT RED GLAM BF 734ASU BF L750A **BF Y740A BF R740A BF SG SOFT** BF M751A ROYAL BLUE NYLON ROYAL BLUE SPORT ACID GREEN METALLIC ORANGE SUBLISTOP SOFT GOLD MIRROR GREEN GLAM BF Y748A BF 730ASU **BF R710A BF SS SOFT BF L736A** RED SUBLISTOP NAVY BLUE NYLON BLACK SPORT SOFT SILVER MIRROR PINK GLAM BF 792ASU **BF Y750A BF L735A** GOLD SUBLISTOP GREEN NYLON LILAC GLAM BF 796ASU **BF Y710A BF L738A** SILVER SUBLISTOP BLACK NYLON CYCLAMEN GLAM

BF L777A

RAINBOW GLAM

BF Y792A

GOLD NYLON



BF Glitter



BF G700A WHITE GLITTER



BF G796A SILVER GLITTER



BF G792A GOLD GLITTER



BF G728A LEMON YELLOW GLITTER



BF G734A ORANGE GLITTER



BF G730A RED GLITTER



BF G736A PINK GLITTER



BF G770A PURPLE GLITTER



BF G740A ROYAL BLUE GLITTER



BF G710A BLACK GLITTER

BF Sandy Glitter

BF D700A

BF D722A

BF D734A

BF D730A

BF D737A

BLUSH PINK

BF D735A

CORAL RED

BF D738A

ORANGE

PUMPKIN YELLOW



PURPLE

BF D748A

NAVY BLUE



BF D740A ROYAL BLUE



BF D744A LIGHT BLUE



BF D750A GREEN



BF D783A AQUAMARINE



BF D782A TURQUOISE



BF D712A LIGHT GREY



BF D714A GREY

BF Promotional




BF D710A BF P700NA WHITE PROMOTIONAL



BF D792A GOLD



BF D796A SILVER



BF DFLUO20A NEON YELLOW



BF DFLUO30A NEON ORANGE



BF DFLUO40A



BF DFLUO50A NEON GREEN



BF DFLU046A NEON BLUE



BF P750NA GREEN PROMOTIONAL



BF P728NA BF P710NA LEMON YELLOW PROMOTIONAL BLACK PROMOTIONAL



BF P720NA BF P714NA MEDIUM YELLOW PROMOTIONAL GREY PROMOTIONAL



BF P734NA **BF P796NA** ORANGE PROMOTIONAL SILVER PROMOTIONAL

BF P792NA

GOLD PROMOTIONAL



BF P730NA RED PROMOTIONAL



BF P738NA CYCLAMEN PROMOTIONAL



BF P746NA SKY BLUE PROMOTIONAL



ROYAL BLUE PROMOTIONAL



BF P748NA NAVY BLUE PROMOTIONAL



WHITE VARNISH

CLEAR VARNISH

BF V710A

BLACK VARNISH



BF W700A WHITE WINDSTOP



BF W792A GOLD WINDSTOP



RED VARNISH SILVER WINDSTOP



BF WFLU020A NEON YELLOW WINDSTOP



BF WFLU030A NEON ORANGE WINDSTOP



BF WFLU040A



BF WFLU050A NEON GREEN WINDSTOP






WHITE MATT SUBLISTOP 120 MY

SILVER STRETCH

The Oeko Tex certification applies to certain products as listed on our website www.b-flexitalia.com







HEADQUARTERS

B-FLEX ITALIA S.r.l.

Via 1º Maggio, 44 | 36050 Sovizzo (VI) | ITALY Tel +39 0444.028139 | info@b-flexitalia.com

www.b-flexitalia.com

NORTH AMERICA BRANCH

B-FLEX AMERICA LLC

468 Columbia Industrial Blvd | Evans | GA 30809 Tel +1 (866) 440-BFLX | info@b-flexamerica.com

www.b-flexamerica.com

ASIA-PACIFIC BRANCH

B-FLEX PACIFIC PTY LTD

5 Raceway Pl | Eastern Creek | NSW 2766 Sydney | Australia Tel +61 2 8662 0801 | info@b-flexpacific.com

www.b-flexpacific.com

- connect with us -













